

CYMOXANIL 50% WP

FUNGICIDE
WP FORMULATION



Systemic Fungicide



Rapid Penetrant



Curative Properties



Post-Infection Activity

TARGET DISEASES



- Late Blight - *Phytophthora infestans*
- Downy Mildew - *Plasmopara viticola*
- Downy Mildew - *Pseudoperonospora cubensis*



- Downy Mildew - *Peronospora spp.*
- Damping-Off



CROPS

- Potato
- Tomato
- Grapes
- Cucumbers
- Peppers
- Onion
- Garlic
- Leafy vegetables
- Various vegetables

PRODUCT DESCRIPTION

Systemic fungicide with rapid penetrant and curative properties. Particularly effective against oomycete diseases with both protective and post-infection activity

MODE OF ACTION

Rapidly penetrates leaf tissue to inhibit early fungal infection. Provides short-term protective and curative action. Stops pathogen development during initial infection stages

APPLICATION RECOMMENDATIONS

- Apply within 2-3 days of disease appearance
- Use with compatible contact fungicide
- Repeat applications as needed

DOSAGE & PHI

Grapes – Downy mildew: 0.24% or 240gm/100L water, 15 days PHI



**STRONG
MANUFACTURING**



**INNOVATIVE
R&D**



**GLOBAL
REGULATORY
SUPPORT**



**DECADES OF
EXPERIENCE**