


METALAXYL 35% WP

FUNGICIDE



**SYSTEMIC
FUNGICIDE**



**SPECIALIZED
OOMYCETE CONTROL**




**CURATIVE +
PROTECTIVE ACTIVITY**



**ACROPETAL + TRANSLAMINAR
MOVEMENT**

TARGET DISEASES



CROPS



Vegetables



Fruits



Ornamentals



Turf



Potato



Grapes

PRODUCT DESCRIPTION

Systemic fungicide in wettable powder formulation, preventive preventive and curative, protective modes management and resistance evidence.

MODE OF ACTION

Metalaxyl inhibits protein synthesis through RNA polymerase I enzyme enzyme interference.

DOSAGE

DOSAGE	PHI
Late blight - Phytophthora infestans Downy mildew - Peronospora/Plasmopara species Pythium damping-off/root rot Phytophthora root rot	0.1-0.15% concentration or 500-750gm/ha

APPLICATION BENEFITS

- Excellent preventive control with mutiple modes of action.
- Comprehensive oomycete management.
- Recommended for preventive application before disease onset or early signs with 7-10 day intervals under high disease pressure.
- Excellent for resistance management programs.



**STRONG
MANUFACTURING**



**INNOVATIVE
R&D**



**GLOBAL
REGULATORY
SUPPORT**



**DECADES OF
EXPERIENCE**